

Publikace zaměstnanců a studentů PřF JU v roce 2008

Pracovníci a studenti PřF zaměstnaní či studující na PřF v roce 2008 jsou uvedeni tučně.

Jsou uvedeny pouze články ve vědeckých časopisech s IF (celkem 163 prací), a dále (*kurzívou*) knihy a kapitoly v knihách včetně editorství knih a publikací na CD a www (celkem 7 prací). (*nové vědecké časopisy, čekající na přidělení IF; celkem 4 práce)

1. BASSET Y., MISSA O., ALONSO A., MILLER S., CURLETTI G., DE MEYER M., EARDLEY C., MANSELL M., **NOVOTNÝ V.**, WAGNER T., 2008. Choice of metrics for studying arthropod responses to habitat disturbance: one example from Gabon. *Insect Conservation and Diversity* 1: 55-66.*
2. BASSET Y., MISSA O., ALONSO A., MILLER S., CURLETTI G., DE MEYER M., EARDLEY C., LEWIS O., MANSELL M., **NOVOTNÝ V.**, WAGNER T., 2008. Changes in arthropod assemblages along a wide gradient of disturbance in Gabon. *Conservation Biology* 22: 1552-1563.
3. BASSET Y., MISSA O., ALONSO A., MILLER S., CURLETTI G., DE MEYER M., EARDLEY C., MANSELL M., **NOVOTNÝ V.**, WAGNER T., 2008. Faunal turnover of arthropod assemblages along a wide gradient of disturbance in Gabon. *African Entomology* 16: 47-59.
4. **BASTL M., BURIAN M., KUČERA J., PRACH K., REKTORIS L., ŠTECH M.**, 2008. Central European pine bogs change along an altitudinal gradient. *Preslia* 80: 349-363.
5. BOUZID W., **ŠTEFKOVÁ J.**, HYPŠA V., LEK S., SCHOLZ T., LEGAL L., BEN HASSINE O.K., LOOT G., 2008. Geography and host specificity: Two forces behind the genetic structure of the freshwater fish parasite *Ligula intestinalis* (Cestoda: Diphyllobothriidae). *International Journal for Parasitology* 32: 1465-1479.
6. BOWLER C., ALLEN A.E., BADGER J.H., GRIMWOOD J., JABBARI K., KUO A., MAHESWARI U., MARTENS C., MAUMUS F., OTILLAR R.P., RAYKO E., SALAMOV A., VANDEPOELE K., BESZTERI B., GRUBER A., HEIJDE M., KATINKA M., MOCK T., VALENTIN K., VERRET F., BERGES J.A., BROWNLEE C., CADORET J.-P., CHIOVITTI A., CHOI C.J., COESEL S., DE MARTINO A., DETTER J.C., DURKIN C., FALCIATORE A., FOURNET J., HARUTA M., HUYSMAN M.J.J., JENKINS B.D., JIROUTOVÁ K., JORGENSEN R.E., JOUBERT Y., KAPLAN A., KRÖGER N., KROTH P.G., LA ROCHE J., LINDQUIST E., LOMMER M., MARTIN-JÉZÉQUEL V., LOPEZ P.J., LUCAS S., MANGOGNA M., MCGINNIS K., MEDLIN L.K., MONTSANT A., OUDOT-LE SECQ M.-P., NAPOLI C., **OBORNÍK M.**, SCHNITZLER PARKER M., PETIT J.-L., PORCEL B.M., POULSEN N., ROBISON M., RYCHLEWSKI L., RYNEARSON T.A., SCHMUTZ J., SHAPIRO H., SIAUT M., STANLEY M., SUSSMAN M.R., TAYLOR A.R., VARDI A., VON DASSOW P., VYVERMAN W., WILLIS A., WYRWICZ L.S., ROKHSAR D.S., WEISSENBACH J., ARMBRUST E.V., GREEN B.R., VAN DE PEER Y., GRIGORIEV I.V., 2008. The *Phaeodactylum* genome reveals the evolutionary history of diatom genomes. *Nature* 456: 239-244.
7. BRAGAZZA L., FREEMAN C., JONES T., RYDIN H., LIMPENS J., FENNER N., ELLIS T., GERDOL R., HÁJEK M., **HÁJEK T.**, 2008. Atmospheric nitrogen

deposition promotes carbon loss from peat bogs. Proceedings of The National Academy of Sciences of The United States of America 103: 19386-19389.

8. **BŘÍZA J., PAVINGEROVÁ D., PŘIKRYLOVÁ P., GAZDOVÁ J., VLASÁK J., NIEDERMEIEROVÁ H.**, 2008. Use of phosphomannose isomerase-based selection system for Agrobacterium-mediated transformation of tomato and potato. *Biologia Plantarum* 52: 453-461.
9. BROWN P., ADRIAENS T., BATHON H., CUPPEN J., GOLDARAZENA A., HAGG T., KENIS M., KLAUSNITZER B., KOVAR I., LOOMANS A., MAJERUS M., **NEDVĚD O., PEDERSEN J., RABITSCH W., ROY H., TERNOIS V., ZAKHAROV I., ROY D.**, 2008. Harmonia axyridis in Europe: spread and distribution of a non-native coccinellid. *Biocontrol* 53: 5-21.
10. *BURDA H., HILKEN G., ZRZAVÝ J.*, 2008. *Systematische Zoologie*, p. 336. UTB-Basics, Eugen Ulmer Verlag, Stuttgart.
11. **BYSS M., ELHOTTOVÁ D., TŘÍSKA J., BALDRIÁN P.**, 2008. Fungal bioremediation of the creosote-contaminated soil: Influence of Pleurotus ostreatus and Irpex lacteus on polycyclic aromatic hydrocarbons removal and soil microbial community composition in the laboratory-scale study. *Chemosphere* 73: 1518-1523.
12. **CAISOVÁ L., KOPECKÝ J.**, 2008. Relation of "Pleurocapsa cuprea" to the genus Hildenbrandia (Rhodophyta). *Phycologia* 4: 404-415.
13. COESEL S., **OBORNÍK M.**, VARELA J., FALCIATORE A., BOWLER C., 2008. Evolutionary origins and functions of the carotenoid biosynthetic pathway in marine diatoms. *PLoS ONE* 3(8): e2896.*
14. CRÉMIEUX L., BISCHOFF L., **ŠMILAUEROVÁ M.**, LAWSON C.S., MORTIMER S.R., **DOLEŽAL J.**, LANTA V., EDWARDS A.R., BROOK A.J., TSCHÉULIN T., MACEL M., **LEPŠ J.**, MÜLLER-SCHÄRER H., STEINGER T., 2008. Potential contribution of natural enemies to patterns of local adaptation in plants. *New Phytologist* 180: 524-533.
15. **DRAŠTÍK V., KUBEČKA J., TUŠER M., ČECH M., FROUZOVÁ J., JAROLÍM O., PRCHALOVÁ M.**, 2008. The effect of hydropower on fish stocks: comparison between cascade and non-cascade reservoirs. *Hydrobiologia* 609: 25-36.
16. DUŠEK J., **PICEK T.**, ČÍŽKOVÁ H., 2008. Redox potential dynamics in a horizontal subsurface flow constructed wetland for wastewater treatment: Diel, seasonal and spatial fluctuations. *Ecological Engineering* 34: 223-232.
17. **DYKOVÁ I., FIALA I., DVOŘÁKOVÁ H., PECKOVÁ H.**, 2008. Living together: The marine amoeba *Thecamoeba hilli* Schaeffer, 1926 and its endosymbiont *Labyrinthula* sp. *European Journal of Protistology* 44: 308-316.
18. **DYKOVÁ I., FIALA I., PECKOVÁ H.**, 2008. Neoparamoeba spp. and their eukaryotic endosymbionts similar to *Perkinsela amoebae* (Hollande, 1980): Coevolution demonstrated by SSU rRNA gene phylogenies. *European Journal of Protistology* 44: 269-277.
19. **DYKOVÁ I., FIALA I., PECKOVÁ H., DVOŘÁKOVÁ H.**, 2008. Phylogeny of flabellulids inferred from SSU rDNA sequences of the type strain of *Flabellula citata* Schaeffer, 1926 and newly isolated strains of marine amoebae. *Folia Parasitologica* 55: 256-264.
20. EKNER A., MAJLÁTH I., MAJLÁTHOVÁ V., **HROMADA M.**, BONA M., ANTCZAK M., BOGACZYK M., TRYJANOWSKI P., 2008. The role of the sand

lizard (*Lacerta agilis*) in the transmission cycle of *Borrelia burgdorferi* sensu lato. *Folia Biologica – Krakow* 56: 165-171.

21. EKRT L., ŠTECH M., 2008. A morphometric study and revision of the *Asplenium trichomanes* group in the Czech Republic. *Preslia* 80: 325-347.
22. ELGERSMA A.M., DHILLION S.S., ARNOLDUSSEN A., FANTA J., BOUCNÍKOVÁ E., 2008. *Understanding the quality of agricultural land use systems*. In: Floor B., van Rheenen T., Dhillion S.S., Elgersma A.M. (eds): *Sustainable land management: Strategies to cope with the marginalisation of agriculture*, pp. 217-237. Edward Elgar Publishing, Cheltenham.
23. ELSTER J., DEGMA P., KOVÁČIK L., VALENTOVÁ L., ŠRAMKOVÁ K., PEREIRA A.B., 2008. Freezing and desiccation injury resistance in the filamentous green alga *Klebsormidium* from the Antarctic, Arctic and Slovakia. *Biologia* 63: 839-847.
24. EVGRAFOVA S.YU., ŠANTRŮČKOVÁ H., SHIBISTOVA O.B., ELHOTTOVÁ D., CERNA B., ZRAZHEVSKAYA G.K., LLOYD D., 2008. Phospholipid fatty acid composition of microorganisms in pine forest soils of Central Siberia. *Microbiology* 35: 452-458.
25. FIŠEROVÁ L., ČERNÁ K., HORKÁ H., KOPECKÝ J., 2008. Two ways of experimental infection of *Ixodes ricinus* ticks (Acari: Ixodidae) with spirochetes of *Borrelia burgdorferi* sensu lato complex. *Folia Parasitologica* 55: 150-154.
26. FLEISCHMANNOVÁ J., MATALOVÁ E., TUCKER A.S., SHARPE P.T., 2008. Mouse models of tooth abnormalities. *European Journal of Oral Sciences* 116: 1-10.
27. FOLTÁN P., KONVIČKA M., 2008. A new method for marking slugs by UV-fluorescent dye. *Journal of Molluscan Studies* 74: 293-297.
28. FROUZ J., PRACH K., PIŽL V., HÁNĚL L., STARÝ J., TAJOVSKÝ K., MATERNA J., BALÍK V., KALČÍK J., ŘEHOUNKOVÁ K., 2008. Interactions between soil development, vegetation and soil fauna during spontaneous succession in post mining sites. *European Journal of Soil Biology* 44: 109-122.
29. GALVANEK D., LEPŠ J., 2008. Changes of species richness pattern in mountain grasslands: abandonment versus restoration. *Biodiversity and Conservation* 17: 3241-3253.
30. GROSSART H.P., JEZBERA J., HORŇÁK K., HUTALLE K.M.L., BUCK U., ŠIMEK K., 2008. Top-down and bottom-up induced shifts in bacterial abundance, production and community composition in an experimentally divided humic lake. *Environmental Microbiology* 10: 635-652.
31. GULER J., KRIEGOVÁ E., SMITH T.K., LUKEŠ J., ENGLUND P.T., 2008. Mitochondrial fatty acid synthesis is required for normal mitochondrial morphology and function in *Trypanosoma brucei*. *Molecular Microbiology* 67: 1125-1142.
32. HÁJEK T., BECKETT R., 2008. Effect of water content components on desiccation and recovery in *Sphagnum* mosses. *Annals of Botany* 101: 165-173.
33. HASHIMI H., ZÍKOVÁ A., PANIGRAHI A.K., STUART K.D., LUKEŠ J., 2008. TbRGG1, a component of a novel multiprotein complex involved in kinetoplastid RNA editing. *RNA* 14: 970-980.
34. HAVLÍČEK J., TAMSIN K., SAXTON S., ROBERTS C., JOZÍFKOVÁ E., LHOTA S., VALENTOVÁ J., FLEGR J., 2008. He sees, she smells? Male and female reports of

sensory reliance in mate choice and non-mate choice contexts. *Personality and Individuals Differences* 45: 565-570.

35. HLADÍK M., KUBEČKA J., MRKVÍČKA T., ČECH M., DRAŠTÍK V., FROUZOVÁ J., HOHAUSOVÁ E., MATĚNA J., MATĚNOVÁ V., KRATOCHVÍL M., PETERKA J., PRCHALOVÁ M., VAŠEK M., 2008. Effects of the construction of a reservoir on the fish assemblage in an inflow river. *Czech Journal of Animal Science* 53: 537-547.
36. HONYS D., DUPLÁKOVÁ N., REŇÁK D., 2008. *Online tools for presentation and analysis of plant microarray data. In: Oligonucleotide Array Sequence Analysis*, pp. 265-295. Nova Science Publishers, New York.
37. HORKÁ H., ČERNÁ-KÝČKOVÁ K., FIŠEROVÁ L., KOPECKÝ J., 2008. Efficiency of experimental infection of *Ixodes ricinus* ticks with *Borrelia burgdorferi* spirochetes. *International Journal of Medical Microbiology* 298: 177-179.
38. HORN P., BASTL M., 2008. Mire vegetation gradient established as a result of interaction with a water reservoir. *Botany* 86: 1205-1216.
39. HORŇÁK K., JEZBERA J., ŠIMEK K., 2008. Effects of a *Microcystis aeruginosa* bloom and bacterivory on bacterial abundance and activity in a eutrophic reservoir. *Aquatic Microbial Ecology* 52: 107-117.
40. HROMADA M., ANTCZAK M., VALONE T.J., TRYJANOWSKI P., 2008. Settling decisions and heterospecific social information use in shrikes. *PLoS One* 3: e3930.*
41. HULCR J., NOVOTNÝ V., MAURER A., COGNATO I., 2008. Low beta diversity of ambrosia beetles (Coleoptera: Curculionidae: Scolytinae and Platypodinae) in lowland rainforests of Papua New Guinea. *Oikos* 117: 214-222.
42. HULOVÁ Š., SEDLÁČEK F., 2008. Population genetic structure of the European ground squirrel in the Czech Republic. *Conservation Genetics* 9: 615-625.
43. CHMELAŘ J., ANDERSON J.M., MU J., JOCHIM R.C., VALENZUELA J.G., KOPECKÝ J., 2008. Insight into the sialome of the castor bean tick, *Ixodes ricinus*. *BMC Genomics* 9: 1-21.
44. CHOCHOLOVÁ E., JIRKŮ M., LUKEŠ J., 2008. A diagnostic assay based on variable intergenic region distinguishes between *Leishmania donovani* and *Leishmania infantum*. *Folia Parasitologica* 55: 75-78.
45. JANSKÝ L., VYBÍRAL S., TRUBAČOVÁ M., OKROUHLÍK J., 2008. Modulation of adrenergic receptors and adrenergic functions in cold adapted humans. *European Journal of Applied Physiology* 104: 131-135.
46. JERSÁKOVÁ J., JOHNSON S.D., KINDLMANN P., PUPIN A-CH., 2008. Effect of nectar supplementation on male and female components of pollination success in the deceptive orchid *Dactylorhiza sambucina*. *Acta Oecologica* 33: 300-306.
47. JINDRA M., KONOPOVÁ B., 2008. Broad-complex acts downstream of Met in juvenile hormone signaling to coordinate primitive holometabolan metamorphosis. *Development* 135: 559-568.
48. JONÁŠOVÁ M., PRACH K., 2008. The influence of bark beetles outbreak vs. salvage logging on ground layer vegetation in Central European mountain spruce forests. *Biological Conservation* 141: 1525-1535.

49. KADLEC T., BENEŠ J., JAROŠÍK V., KONVIČKA M., 2008. Revisiting urban refuges: changes of butterfly and burnet fauna in Prague reserves over three decades. *Landscape and Urban Planning* 85: 1-11.
50. KARBULKOVÁ J., SCHREIBER L., MACEK P., ŠANTRŮČEK J., 2008. Differences between water permeability of astomatous and stomatous cutical membranes: effects of air humidity in two species of contrasting drought-resistance strategy. *Journal of Experimental Botany* 59: 3987-3995.
51. KAŠTOVSKÝ J., ŘEHÁKOVÁ K., BASTL M., VYMAZAL J., KING R.S., 2008. *Experimental assessment of phosphorus effects on algal assemblages in dosing mesocosms. In: Richardson C.J. (ed.): The Everglades Experiments: Lessons for Ecosystem Restoration, pp. 461-475. Springer, New York.*
52. KAŠTOVSKÝ J., JOHANSEN J.R., 2008. Mastigocladus laminosus (Stigonematales, Cyanobacteria): phylogenetic relationship of strains from thermal springs to soil-inhabiting genera of the order and taxonomic implications for the genus. *Phycologia* 47: 307-320.
53. KODRÍK D., 2008. Adipokinetic hormone functions that are not associated with insect flight. *Physiological Entomology* 33: 171-180.
54. KOLAŘÍK M., KUBÁTOVÁ A., HULCR J., PAŽOUTOVÁ S., 2008. Geosmithia fungi are highly diverse and consistent bark beetle associates: Evidence from their community Structure in temperate Europe. *Microbial Ecology* 55: 65-80.
55. KOLONIUK I., ŠPAK J., PETRZIK K., 2008. Turnip ringspot virus recognized on Chinese cabbage in Russia. *European Journal of Plant Pathology* 122: 447-450.
56. KOMÁREK J., ELSTER J., KOMÁREK O., 2008. Diversity of the cyanobacterial microflora of the northern part of James Ross Island, NW Weddell Sea, Antarctica. *Polar Biology* 31: 853-865.
57. KONEČNÁ M., LHOTA S., WEISS A., URBÁNEK T., ADAMOVÁ T., PLUHÁČEK J., 2008. Personality in free-ranging Hanuman langur (*Semnopithecus entellus*) males: Subjective ratings and recorded behavior. *Journal of Comparative Psychology* 122: 379-389.
58. KONVIČKA M., BENEŠ J., ČÍŽEK O., KOPEČEK F., KONVIČKA O., VITAZ L., 2008. How too much care kills species: Grassland reserves, agrienvironmental schemes and extinction of *Colias myrmidone* (Lepidoptera: Pieridae) from its former stronghold. *Journal of Insect Conservation* 12: 519-525.
59. KONVIČKA M., NOVÁK J., BENEŠ J., FRIC Z., BRADLEY J., KEIL P., HRČEK J., CHOBOT K., MARHOUL P., 2008. The last population of the Woodland Brown butterfly (*Lopinga achine*) in the Czech Republic: habitat use, demography and site management. *Journal of Insect Conservation* 12: 549-560.
60. KOPÁČEK J., HEJZLAR J., NORTON S.A., 2008. Proton production by transformations of aluminium and iron in lakes. *Water Research* 42: 1220-1228.
61. KOŠTÁL V., TOLLAROVÁ M., DOLEŽEL D., 2008. Dynamism in physiology and gene diapause in a heteropteran transcription during reproductive bug, *Pyrrhocoris apterus*. *Journal of Insect Physiology* 54: 77-88.
62. KRATOCHVÍL M., PETERKA J., KUBEČKA J., MATĚNA J., VAŠEK M., VANÍČKOVÁ I., ČECH M., SEĎA J., 2008. Diet of larvae and juvenile perch, *Perca fluviatilis* performing diel vertical migrations in a deep reservoir. *Folia Zoologica* 57: 313-323.

63. KŘIVAN V., CRESSMAN R., SCHNEIDER C., 2008. The ideal free distribution: A review and synthesis of the game-theoretic perspective. *Theoretical Population Biology* 73: 403-425.
64. KUČEROVÁ A., REKTORIS L., ŠTECHOVÁ T., BASTL M., 2008. Disturbances on a wooded raised bog—how windthrow, bark beetle and fire affect vegetation and soil water quality? *Folia Geobotanica* 43: 49-67.
65. KUCHTA R., SCHOLZ T., 2008. A new triaenophorid tapeworm from blackfish *Centrolophus niger*. *Journal of Parasitology* 94: 500-504.
66. KUCHTA R., SCHOLZ T., BRABEC J., BRAY R., 2008. Suppression of the tapeworm order Pseudophyllidea (Platyhelminthes: Eucestoda) and the proposal of two new orders, Bothrioccephalidea and Diphyllobothriidea. *International Journal for Parasitology* 38: 49-55.
67. KUCHTA R., SCHOLZ T., BRABEC J., JIRSOVÁ D., GUSTINELLI A., 2008. Bothrioccephalidean tapeworms (Cestoda) from the blackfish, *Centrolophus niger* (Perciformes: Centrolophidae). *Folia Parasitologica* 55: 111-121.
68. KUCHTA R., SCHOLZ T., BRAY R., 2008. Revision of the order Bothrioccephalidea Kuchta, Scholz, Brabec & Bray, 2008 (Eucestoda) with amended generic diagnoses and keys to families and genera. *Systematic Parasitology* 71: 81-136.
69. KÜPPER H., ŠETLÍK I., SEIBERT S., PRÁŠIL O., ŠETLÍKOVÁ E., STRITTMATTER M., LEVITAN O., LOHSCHEIDER J., ADAMSKA I., BERMAN-FRANK I., 2008. Iron limitation in the marine cyanobacterium *Trichodesmium* reveals new insights into regulativ of photosynthesis and nitrogen fixation. *New Phytologist* 179: 784-798.
70. KVÁČ M., SAK B., KVĚTONOVÁ D., DITRICH O., HOFMANNOVÁ L., MODRÝ D., VÍTOVEC J., XIAO L., 2008. Infectivity, pathogenicity, and genetic characteristics of mammalian gastric *Cryptosporidium* spp. in domestic ruminants. *Veterinary Parasitology* 153: 363-367.
71. KVIČEROVÁ J., PAKANDL M., HYPŠA V., 2008. Phylogenetic relationships among *Eimeria* spp. (Apicomplexa, Eimeriidae) infecting rabbits: evolutionary significance of biological and morphological feature. *Parasitology* 135: 443-452.
72. LAI D.-H., HASHIMI H., LUN Z.-R., AYALA F.J., LUKEŠ J., 2008. Adaptation of *Trypanosoma brucei* to gradual loss of kinetoplast DNA: *T. equiperdum* and *T. evansi* are petite mutants of *T. brucei*. *Proceedings of The National Academy of Sciences of The United States of America* 105: 1999-2004.
73. LANTA V., LEPŠ J., 2008. Effect of plant species richness on invasibility of experimental plant communities. *Plant Ecology* 198: 253-263.
74. LATZEL V., MIHULKA S., KLIMEŠOVÁ J., 2008. Plant traits and regeneration of urban plant community after disturbance: Does the bud bank play any role? *Applied Vegetation Science* 11: 387-394.
75. LENZ O., PETRZIK K., ŠPAK J., 2008. Investigating the sensitivity of a fluorescence-based microarray for the detection of fruit-tree viruses. *Journal of Virological Methods* 148: 96-105.
76. LEVRON C., PODDUBNAYA L., KUCHTA R., FREEMAN M., WANG Y., SCHOLZ T., 2008. SEM and TEM study of the armed male terminal genitalia of the tapeworm *Paraechinophallus japonicus* (Cestoda: Bothrioccephalidea). *Journal of Parasitology* 94: 803-810.

77. LEVRON C., PODDUBNAYA L., KUCHTA R., FREEMAN M., WANG Y., SCHOLZ T., 2008. Ultrastructure of the tegument of the cestode *Paraechinophallus japonicus* (Pseudophyllidea: Echinophallidae), a parasite of the bathypelagic fish *Psenopsis anomia*. *Invertebrate Biology* 127: 153-161.
78. LEŽALOVÁ-PIÁLKOVÁ R., HONZA M., 2008. Responses of black-headed gulls *Larus ridibundus* to conspecific brood parasitism. *Journal of Ornithology* 149: 415-421.
79. LHOTA S., JŮNEK T., BARTOŠ L., KUBĚNA A.A., 2008. Specialized use of two fingers in free-ranging aye-ayes (*Daubentonia madagascariensis*). *American Journal of Primatology* 70: 786-795.
80. LITVÍN R., BÍNA D., VÁCHA F., 2008. Room temperature photooxidation of β -carotene and peripheral chlorophyll in photosystem II reaction centre. *Photosynthesis Research* 98: 179-187.
81. LONG S., JIRKŮ M., AYALA F.J., LUKEŠ J., 2008. Mitochondrial localization but not processing of human frataxin is essential for a rescue of frataxin deficiency in the excavate flagellate *Trypanosoma brucei*. *Proceedings of The National Academy of Sciences of The United States of America* 105: 13468-13473.
82. LONG S., JIRKŮ M., MACH J., GINGER M.L., SUTAK R., RICHARDSON D., TACHEZY J., LUKEŠ J., 2008. Ancestral roles of eukaryotic frataxin: mitochondrial frataxin function and heterologous expression of hydrogenosomal *Trichomonas* homologs in trypanosomes. *Molecular Microbiology* 69: 94-109.
83. LONG S., VÁROVÁ Z., LUKEŠ J., 2008. The import and function of diatom and plant frataxins in the mitochondrion of *Trypanosoma brucei*. *Molecular and Biochemical Parasitology* 162: 100-104.
84. LOZAN A.I., MONAGHAN M.T., SPITZER K., JAROŠ J., ŽUROVCOVÁ M., BROŽ V., 2008. DNA-based confirmation that the parasitic wasp *Cotesia glomerata* (Braconidae, Hymenoptera) is a new threat to endemic butterflies of the Canary Islands. *Conservation Genetics* 9: 1431-1437.
85. MACEK P., LEPŠ J., 2008. Environmental correlates of growth traits of the stoloniferous plant *Potentilla palustris*. *Evolutionary Ecology* 22: 419-435.
86. MACHÁČEK J., SEĎA J., 2008. Diversity of *Daphnia galeata* life history traits in a vertically structured environment. *Journal of Plankton Research* 30: 221-231.
87. MACHOVÁ K., ELSTER J., ADAMEC L., 2008. Xanthophyceen assemblages during winter - spring flood: autecology and ecophysiology of *Tribonema fonticolum* and *T. monochloron*. *Hydrobiologia* 600: 155-168.
88. MAJLATHOVA V., MAJLATH I., HROMADA M., TRYJANOWSKI P., BONA M., ANTCZAK M., VICHOVA B., DZIMKO S., MIHALCA A., PET'KO B., 2008. The role of the sand lizard (*Lacerta agilis*) in the transmission cycle of *Borrelia burgdorferi* sensu lato. *International Journal of Medical Microbiology* 298: 161-167.
89. MAKEE H., TAFESH N., MAREC F., 2008. Analysis of radiation-induced W chromosome aberrations in the codling moth, *Cydia pomonella* (L.), by fluorescence in situ hybridization techniques. *Journal of Pest Science* 81: 143-151.
90. MAN P., KOVÁŘ V., ŠTĚRBA J., STROHALM M., KAVAN D., KOPÁČEK P., GRUBHOFFER L., HAVLÍČEK V., 2008. Deciphering Dorin M glycosylation by mass spectrometry. *European Journal of Mass Spectrometry* 14: 345-354.

91. MAREŠ J., KAŠTOVSKÝ J., MCGREGOR G., KOMÁREK J., 2008. The little known pseudofilamentous cyanobacterium Wolskyella (Synechococcales). *Nova Hedwigia* 87: 221-230.
92. MARGHERI M.C., VENTURA S., KAŠTOVSKÝ J., KOMÁREK J., 2008. The taxonomic validation of the cyanobacterial genus *Halothece*. *Phycologia* 47: 477-486.
93. MARTÍNKOVÁ J., KLIMEŠOVÁ J., MIHULKA S., 2008. Compensation of seed production after severe injury in the short-lived herb *Barbarea vulgaris*. *Basic and Applied Ecology* 9: 44-54.
94. MAŠKOVÁ Z., ZEMEK F., KVĚT J., 2008. Normalized difference vegetation index (NDVI) in the management of mountain meadows. *Boreal Environment Research* 13: 417-432.
95. MATALOVÁ E., FLEISCHMANNOVÁ J., SHARPE P.T., TUCKER A.S., 2008. Tooth agenesis: From molecular genetics to molecular dentistry. *Journal of Dental Research* 87: 617-623.
96. MATOUŠEK J., ORCTOVÁ L., ŠKOPEK J., PEŠINA K., STEGER G., 2008. Elimination of hop latent viroid upon developmental activation of pollen nucleases. *Biological Chemistry* 389: 905-918.
97. MOORE R.B., OBORNÍK M., JANOUŠKOVEC J., CHRUDIMSKÝ T., VANCOVÁ M., GREEN D.H., WRIGHT S.W., DAVIES N.W., BOLCH C.J.S., HEIMANN K., ŠLAPETA J., HOEGH-GULDBERG O., LOGSDON J.M., CARTER D.A., 2008. A photosynthetic alveolate closely related to apicomplexan parasites. *Nature* 451: 959-963.
98. MORAVEC F., SCHOLZ T., KUCHTA R., GRYGIER M., 2008. Female morphology of *Philometra parasiluri* (Nematoda, Philometridae), an ocular parasite of the Amur catfish *Silurus asotus* in Japan. *Acta Parasitologica* 53: 153-157.
99. MUSILOVÁ Z., ŘÍČAN O., JANKO K., NOVÁK J., 2008. Molecular phylogeny and biogeography of the Neotropical cichlid fish tribe *Cichlasomatini* (Teleostei: Cichlidae: Cichlasomatinae). *Molecular Phylogenetics and Evolution* 46: 659-672.
100. NEDVĚD O., SALVUCCI S., 2008. Ladybird *Coccinella septempunctata* (Coleoptera: Coccinellidae) prefers toxic prey in laboratory choice experiment. *European Journal of Entomology* 105: 431-436.
101. ORTEGA-OLIVARES M., BARRERA-GUZMÁN A., HAASOVÁ I., SALGADO-MALDONADO G., GUILLÉN-HERNÁNDEZ S., SCHOLZ T., 2008. Tapeworms (Cestoda: Gryporhynchidae) of fish-eating birds (Ciconiiformes) from Mexico: new host and geographical records. *Comparative Parasitology* 75: 182-195.
102. OVERGAARD J., TOMČALA A., SORENSEN J.G., HOLMSTRUP M., KROGH P.H., ŠIMEK P., KOŠTÁL V., 2008. Effects of acclimation temperature on thermal tolerance and membrane phospholipid composition in the fruit fly *Drosophila melanogaster*. *Journal of Insect Physiology* 54: 619-629.
103. PAKANDL M., HLÁSKOVÁ L., POPLŠTEIN M., CHROMÁ V., VODIČKA T., SALÁT J., MUCKSOVÁ M., 2008. Dependence of the immune response to coccidiosis on the age of rabbit suckling. *Parasitology Research* 103: 1265-1271.
104. PAKANDL M., HLÁSKOVÁ L., POPLŠTEIN M., NEVEČEŘALOVÁ M., VODIČKA T., SALÁT J., MUCKSOVÁ J., 2008. Immune response to rabbit coccidiosis: a comparison between infections with *Eimeria flavescens* and *E. intestinalis*. *Folia Parasitologica* 55: 1-6.

105. PAKEMAN R.J., GARNIER E., LAVOREL S., ANSQUER P., CASTRO H., CRUZ P., DOLEŽAL J., ERIKSSON O., FREITAS H., GOLODETS C., KIGEL J., KLEYER M., LEPS J., MEIER T., PAPADIMITRIOU M., PAPANASTASIS V.P., QUESTED H., QUETIER F., RUSCH G., STERNBERG M., THEAU J.P., THEBAULT A., VILE D., 2008. Impact of abundance weighting on the response of seed traits to climate and land use. *Journal of Ecology* 96: 355-366.
106. PÁLKOVÁ K., LEPS J., 2008. Positive relationship between plant palatability and litter decomposition in meadow plants. *Community Ecology* 9: 17-27.
107. PETRU M., SPINKA M., LHOTA S., ŠÍPEK P., 2008. Head rotations in the play of Hanuman langurs (*Semnopithecus entellus*): Description and analysis of function. *Journal of Comparative Psychology* 122: 9-18.
108. PETRUSEK A., SEĎA J., MACHÁČEK J., RUTHOVÁ Š., ŠMILAUER P., 2008. Daphnia hybridization along ecological gradients in pelagic environments: the potential for the presence of hybrid zones in plankton. *Philosophical Transactions of The Royal Society B - Biological Sciences* 363: 2931-2941.
109. PETRUSKOVA T., OSIEJUK T.S., LINHART P., PETRUSEK A., 2008. Structure and complexity of perched and light songs of the tree pipit (*Anthus trivialis*). *Annales Zoologici Fennici* 45: 135-148.
110. PETRUSKOVA T., PETRUSEK A., PAVEL V., FUCHS R., 2008. When an alien sings at a rival's post: a passerine excited by conspecific stimulus may show aggressive behaviour towards heterospecific individuals. *Folia Zoologica* 57: 201-211.
111. PICEK T., KAŠTOVSKÁ E., EDWARDS K., ZEMANOVÁ K., DUŠEK J., 2008. Short term effects of experimental eutrophication on carbon and nitrogen cycling in two types of wet grassland. *Community Ecology* 9: 81-90.
112. PODDUBNAYA L., SCHOLZ T., KUCHTA R., LEVRON C., GIBSON D., 2008. Ultrastructure of the surface structures and secretory glands of the rosette attachment organ of *Gyrocotyle urna* (Cestoda: Gyrocotylidea). *Folia Parasitologica* 55: 207-218.
113. PRACH K., 2008. Vegetation changes in a wet meadow complex during the past half-century. *Folia Geobotanica* 43: 119-130.
114. PRACH K., HOBBS J., 2008. Spontaneous succession versus technical reclamation in the restoration of disturbed sites. *Restoration Ecology* 16: 363-366.
115. PRCHALOVÁ M., KUBEČKA J., ŘÍHA M., LITVÍN R., ČECH M., FROUZOVÁ J., HLADÍK M., HOHAUSOVÁ E., PETERKA J., VAŠEK M., 2008. Overestimation of percid fishes (Percidae) in gillnet sampling. *Fisheries Research* 91: 79-87.
116. PRCHALOVÁ M., KUBEČKA J., VAŠEK M., PETERKA J., SEĎA J., JŮZA T., ŘÍHA M., JAROLÍM O., TUŠER M., KRATOCHVÍL M., ČECH M., DRAŠTÍK V., FROUZOVÁ J., HOHAUSOVÁ E., 2008. Distribution patterns of fishes in a canyon-shaped reservoir. *Journal of Fish Biology* 73: 54-78.
117. REFARDT D., DECAESTECKER E., JOHNSON P., VÁVRA J., 2008. Morphology, molecular phylogeny, and ecology of *Binucleata daphniae* n. g., n. sp. (Fungi: Microsporidia), a parasite of *Daphnia magna* Straus, 1820 (Crustacea: Branchiopoda). *Journal of Eukaryotic Microbiology* 55: 393-408.
118. ŘÍČAN O., ZARDOYA R., DOADRIO I., 2008. Phylogenetic relationships of Middle American cichlids (Cichlidae, Heroini) based on combined evidence from nuclear genes, mtDNA, and morphology. *Molecular Phylogenetics and Evolution* 49: 941-956.

119. **RIEGERT J., SEDLÁČEK O., HUTTERER R.**, 2008. Diet of sympatric African grass owl (*Tyto capensis*) and spotted eagle owl (*Bubo africanus*) in the Bamenda Highlands, NW Cameroon. *African Journal of Ecology* 46: 428-431.
120. **ROBOVSKÝ J., ŘIČÁNKOVÁ V., ZRZAVÝ J.**, 2008. Phylogeny of Arvicolinae (Mammalia, Cricetidae): utility of morphological and molecular data sets in a recently radiating clade. *Zoologica Scripta* 37: 571-590.
121. **RUDENKO N., GOLOVCHENKO M., MOKRÁČEK A., PISKUNOVA N., RŮŽEK D., MALLÁTOVÁ N., GRUBHOFFER L.**, 2008. Detection of *Borrelia bissettii* in cardiac valve tissue of a patient with endocarditis and aortic valve stenosis in the Czech Republic. *Journal of Clinical Microbiology* 46: 3540-3543.
122. **RŮŽEK D., BELL-SAKYI L., KOPECKÝ J., GRUBHOFFER L.**, 2008. Growth of tick-borne encephalitis virus (European subtype) in cell lines from vector and non-vector ticks. *Virus Research* 137: 142-146.
123. **RŮŽEK D., GRITSUN T.S., FORRESTER N.L., GOULD E.A., KOPECKÝ J., GOLOVCHENKO M., RUDENKO N., GRUBHOFFER L.**, 2008. Mutations in the NS2B and NS3 genes affect mouse neuroinvasiveness of a Western European field strain of tick-borne encephalitis virus. *Virology* 374: 249-255.
124. **ŘEHOUNKOVÁ K., PRACH K.**, 2008. Spontaneous vegetation succession in gravel-sand pits: a potential for restoration. *Restoration Ecology* 16: 109-121.
125. **ŘÍČAN O., KULLANDER S.O.**, 2008. The Australoheros (Teleostei : Cichlidae) species of the Uruguay and Parana River drainages. *Zootaxa* 2008: 1-51.
126. **ŘÍHA M., KUBEČKA J., MRKVÍČKA T., PRCHALOVÁ M., ČECH M., DRAŠTÍK V., FROUZOVÁ J., HLADÍK M., HOHAUSOVÁ E., JAROLÍM O., JŮZA T., KRATOCHVÍL M., PETERKA J., TUŠER M., VAŠEK M.**, 2008. Dependence of beach seine net efficiency on net length and diel period. *Aquatic Living Resources* 21: 411-418.
127. **SALÁT J., JELÍNEK J., CHMELAŘ J., KOPECKÝ J.**, 2008. Efficacy of gamma interferon and specific antibody for treatment of microsporidiosis caused by *Encephalitozoon cuniculi* in SCID mice. *Antimicrobial Agents and Chemotherapy* 52: 2169-2174.
128. **SEDLÁČEK O., FUCHS R.**, 2008. Breeding site fidelity in urban common redstarts *Phoenicurus phoenicurus*. *Ardea* 96: 261-269.
129. **SEKERKA L.**, 2008. Revision of the genus *Pilemostoma* Desbroches, 1891 (Coleoptera: Chrysomelidae: Chrysomelidae: Cassidinae: Cassidini). *Zootaxa* 1859: 40-48.
130. **SEKERKA L.**, 2008. Two new species of *Notosacantha* Chevrolat, 1834 from India (Coleoptera: Chrysomelidae: Cassidinae: Notosacanthini). *Zootaxa* 1847: 57-62.
131. **SEKERKA L., BOROWIEC L.**, 2008. Three new species of *Cassida* Linné, 1758 from India and note on *Thlaspidia obenbergeri* Spaeth, 1928 (Coleoptera: Chrysomelidae: Cassidinae: Cassidini). *Annales Zoologici (Warszawa)* 58: 611-620.
132. **SCHOLZ T., DE CHAMBRIER A., KUCHTA R.**, 2008. Redescription of the tapeworm *Monticellia amazonica* de Chambrier et Vaucher, 1997 (Cestoda, Proteocephalidea), a parasite of *Calophysus macropterus* (Siluriformes, Pimelodidae), from the Amazon River. *Acta Parasitologica* 53: 30-35.

133. SOBOTKA R., MCLEAN S., ŽUBEROVÁ M., HUNTER C., TICHÝ M., 2008. The C-terminal extension of ferrochelatase is critical for enzyme activity and for functioning of the tetrapyrrole pathway in *synechocystis* strain PCC 6803. *Journal of Bacteriology* 190: 2086-2095.
134. SOCHA R., KODRÍK D., ZEMEK R., 2008. Stimulatory effects of bioamines norepinephrine and dopamine on locomotion of *Pyrrhocoris apterus* (L.): Is the adipokinetic hormone involved? *Comparative Biochemistry and Physiology – Part B: Biochemistry and Molecular Biology* 151: 305-310.
135. SOLDÁN T., GODUNKO R.J., 2008. Two new species of the genus *Baetis* Leach, 1815 (Ephemeroptera: Baetidae) from Cyprus. *Annales Zoologici (Warszawa)* 58(1): 79-104.
136. SPITZER L., KONVIČKA M., BENEŠ J., TROPEK R., TUF I.H., TUFOVÁ J., 2008. Does closure of traditionally managed open woodlands threaten epigeic invertebrates? Effects of coppicing and high deer densities. *Biological Conservation* 141: 827-837.
137. STEHLÍK J., ZÁVODSKÁ R., SHIMADA K., ŠAUMAN I., KOŠTÁL V., 2008. Photoperiodic induction of diapause requires regulated transcription of timeless in the larval brain of *Chymomyza costata*. *Journal of Biological Rhythms* 23: 129-139.
138. STEINBAUEROVÁ V., NEUMANN P., MACAS J., 2008. Experimental evidence for splicing of intron-containing transcripts of plant LTR retrotransposon Ogre. *Molecular Genetics and Genomics* 280: 427-436.
139. ŠABATKOVÁ Z., ŠAFARÍKOVÁ M., ŠAFARÍK I., 2008. Magnetic ovalbumin and egg white aggregates as affinity adsorbents for lectins separation. *Biochemical Engineering Journal* 40: 542-545.
140. ŠAFARÍKOVÁ M., PONA B.M.R., MOSINIEWICZ-SZABLEWSKA E., WEYDA F., ŠAFARÍK I., 2008. Dyes adsorption on magnetically modified *Chlorella vulgaris* cells. *Fresenius Environmental Bulletin* 17: 486-492.
141. ŠAFARÍK I., ŠABAKTOVÁ Z., ŠAFARÍKOVÁ M., 2008. Hydrogen peroxide removal with magnetically responsive *Saccharomyces cerevisiae* cells. *Journal of Agriculture and Food Chemistry* 56: 7925-7928.
142. ŠAUMAN I., ZÁVODSKÁ R., WEN J., HRDÝ I., LEE J., SEHNAL F., 2008. Distribution of corazonin and pigment-dispersing factor in the cephalic ganglia of termites. *Arthropod Structure and Development* 37: 273-286.
143. ŠAUMAN I., ZÁVODSKÁ R., WEN J., SEHNAL F., HRDÝ I., LEE J., 2008. The corazonin- and PDF-immunoreactivities in the brain of termites do not differ among the castes and show no circadian fluctuations. *Journal of Insect Physiology* 37: 273-286.
144. ŠAUMAN I., ZDECHOVANOVÁ L., DOLEŽEL D., HODKOVÁ M., 2008. Endocrine-dependent expression of circadian clock genes in insects. *Cellular and Molecular Life Science* 65: 964-969.
145. ŠIMEK K., HORŇÁK K., JEZBERA J., NEDOMA J.,ZNACHOR P., HEJZLAR J., SEĎA J., 2008. Spatio-temporal patterns of bacterioplankton production and community composition related to phytoplankton composition and protistan bacterivory in a dam reservoir. *Aquatic Microbial Ecology* 51: 249-262.
146. ŠKLÍBA J., ŠUMBERA R., CHITAUKALI W.N., 2008. Reactions to disturbances in the context of antipredatory behaviour in a solitary subterranean rodent. *Journal of Ethology* 26: 249-254.

147. ŠOBOTNÍK J., ALBERTI G., WEYDA F., HUBERT J., 2008. Ultrastructure of the digestive tract in *Acarus siro* (Acari: Acaridida). *Journal of Morphology* 269: 54-71.
148. ŠOBOTNÍK J., KALINOVA B., CAHLIKOVA L., WEYDA F., PTACEK V., VALTEROVA I., 2008. Age-dependent changes in structure and function of the male labial gland in *Bombus terrestris*. *Journal of Insect Physiology* 54: 204-214.
149. ŠORFOVÁ P., ŠKEŘÍKOVÁ A., HYPŠA V., 2008. An effect of 16S rRNA intercistronic variability on coevolutionary analysis in symbiotic bacteria: Molecular phylogeny of *Arsenophonus triatominarum*. *Systematic and Applied Microbiology* 31: 88-100.
150. ŠRŮTEK M., DOLEŽAL J., FINDLAY C.S., ANDRESS R.A.(BUD), 2008. Regeneration and seedling-habitat relationships of the marginal population of pitch pine (*Pinus rigida*) after prescribed burning, Eastern Ontario, Canada. *Natural Areas Journal* 28: 155-167.
151. ŠRŮTEK M., URBAN J., 2008. *Organic farming*. In: Jørgensen S.E., Fath B.D. (eds): *Encyclopedia of Ecology*, pp. 2582-2587. Elsevier, Oxford.
152. ŠTEFKO J., HYPŠA V., 2008. Host specificity and genealogy of *Polyplax serrata* on *Apodemus* species: a case of parasite duplication or colonisation? *International Journal for Parasitology* 38: 731-741.
153. ŠTĚRBA J., VANCOVÁ M., RUDENKO N., GOLOVCHENKO M., TREMBLAY T.L., KELLY J.F., MACKENZIE R.C., LOGAN S.M., GRUBHOFFER L., 2008. Flagellin and outer surface proteins from *Borrelia burgdorferi* are not glycosylated. *Journal of Bacteriology* 190: 2619-2623.
154. ŠTROJSOVÁ A., NEDOMA J., ŠTROJSOVÁ M., CAO X., VRBA J., 2008. The role of cell-surface-bound phosphatases in species competition within natural phytoplankton assemblage: an in situ experiment. *Journal of Limnology* 67: 128-138.
155. ŠTROJSOVÁ M., NEDOMA J., SEĎA J., VRBA J., 2008. Diet quality impact on growth, reproduction, and digestive activity in *Brachionus calyciflorus*. *Journal of Plankton Research* 30: 1123-1131.
156. ŠUMBERA R., ŠKLÍBA J., ELICOVÁ M., CHITAUKALI W., BURDA H., 2008. Natural history and burrow system architecture of the silvery mole-rat from Brachystegia woodland. *Journal of Zoology* 274: 77-84.
157. TROPEK R., KONVIČKA M., 2008. Can quarries supplement rare xeric habitats in a piedmont region? Spiders of the Blansky les mts, Czech Republic. *Land Degradation and Development* 19: 104-114.
158. TROPEK R., SPITZER L., KONVIČKA M., 2008. Two groups of epigeic arthropods differ in colonising of piedmont quarries: the necessity of multi-taxa and life-history traits approaches in the monitoring studies. *Community Ecology* 9: 177-184.
159. VAŠEK M., JAROLÍM O., ČECH M., KUBEČKA J., PETERKA J., PRCHALOVÁ M., 2008. The use of pelagic habitat by cyprinids in a deep riverine impoundment: Římov Reservoir, Czech Republic. *Folia Zoologica* 57: 324-336.
160. VAN'T HOF A.E., MAREC F., SACCHERI I.J., BRAKEFIELD P.M., ZWAAN B.J., 2008. Cytogenetic characterization and AFLP-based genetic linkage mapping for the butterfly *Bicyclus anynana*, covering all 28 karyotyped chromosomes. *PLoS ONE* 3: e3882.*

161. VONDRAK J., KHODOSOVTEV A., ŘÍHA P., 2008. Caloplaca concreticola (Teloschistaceae), a new species from anthropogenic substrata in Eastern Europe. Lichenologist 40: 97-104.
162. VONDRAK J., KOCOURKOVÁ J., 2008. New lichenicolous Opegrapha species on Caloplaca from Europe. Lichenologist 40: 171-184.
163. VONDRAK J., ŠOUN J., HROUZEK P., ŘÍHA P., KUBÁSEK J., PALICE Z., SØCHTING U., 2008. Caloplaca subalpina and C. thracopontica, two new saxicolous species from the Caloplaca cerina group (Teloschistaceae). Lichenologist 40: 375-386.
164. VONDRAK J., VITIKAINEN O., 2008. Typification of names of selected taxa described by Acharius and now placed in Caloplaca. Taxon 57: 1-5.
165. VOŽENÍLKOVÁ B., MARKOVÁ J., KLIMEŠ F., KVĚT J., MAŠKOVÁ Z., 2008. The influence of mountain meadow management on the occurrence of Puccinia perplexans. Journal of Plant Diseases and Protection 115: 167-171.
166. VYMAZAL J., KOMÁRKOVÁ J., ŘEHÁKOVÁ K., KAŠTOVSKÝ J., BASTL M., 2008. *Algal responses to long-term nutrient additions*. In: Richardson C.J. (ed.): *The Everglades Experiments: Lessons for Ecosystem Restoration*, pp. 261-275. Springer, New York.
167. WICHT B., SCHOLZ T., PEDUZZI R., KUCHTA R., 2008. First record of human infection with the tapeworm *Diphyllobothrium nihonkaiense* in North America. American Journal of Tropical Medicine and Hygiene 78: 235-238.
168. YURCHENKO V.A., LUKEŠ J., TESAŘOVÁ M., JIRKŮ M., MASLOV D.A., 2008. Morphological discordance of the new trypanosomatid species phylogenetically associated with the genus Crithidia. Protist 159: 99-114.
169. ZAHRÁDKOVÁ S., SOLDÁN T., 2008. Ecological indicators/Saprobic system. In: Jørgensen S.E., Fath B.D., (eds): *Encyclopedia of Ecology*, Vol. 4, pp. 3141-3143. Elsevier, Oxford.
170. ZAPOMĚLOVÁ E., HROUZEK P., ŘEHÁKOVÁ K., ŠABACKÁ M., STIBAL M., CAISOVÁ L., KOMÁRKOVÁ J., LUKEŠOVÁ A., 2008. Morphological variability in selected heterocystous cyanobacterial strains as a response to varied temperature, light intensity and medium composition. Folia Microbiologica 4: 333-341.
171. ZEMANOVÁ K., ČÍŽKOVÁ H., EDWARDS K., ŠANTRŮČKOVÁ H., 2008. Soil CO₂ efflux in three wet meadow ecosystems with different C and N status. Community Ecology 9: 1-8.
172. ZÍKOVÁ A., KOPEČNÁ J., SCHUMACHER M.A., STUART K.D., TRANTÍREK L., LUKEŠ J., 2008. Structure and function of the native and recombinant mitochondrial MRP1/MRP2 complex from *Trypanosoma brucei*. International Journal of Parasitology 38: 901-912.
- 173.ZNACHOR P., ZAPOMĚLOVÁ E., ŘEHÁKOVÁ K., NEDOMA J., ŠIMEK K., 2008. The effect of extreme rainfall on summer succession and vertical distribution of phytoplankton in a lacustrine part of a eutrophic reservoir. Aquatic Sciences 70: 77-86.
174. ŽUPČANOVÁ A., ARELLANO J., BÍNA D., KOPECKÝ J., PŠENČÍK J., VÁCHA F., 2008. The length of esterifying alcohol affects the aggregation properties of chlorosomal bacteriochlorophylls. Photochemistry and Photobiology 84: 1187-1194.